



Oferta "Spy Systems" prezinta sisteme fixe si mobile folosite pentru supravegherea cu camere video ascunse si cu inregistrare audio si video

Cod produs	Date tehnice *	Pret **
<p>Ochelari cu emitator (kit)</p> 	<ul style="list-style-type: none"> - 1/4" COLOR CCD CAMERA portabila - Camera ascunsa in ochelari, cu microfon - Luminatie minima: 0.5Lux/F1.4 - 100cm cablu flexibil intre miniobiectiv si circuitul de captura ultrasubtire - Pixel: PAL-290K - Lentila de 3.7mm tip conica - Accepta sistem de iluminare in infrarosu - Kitul contine: adaptor, emitator TX box 100 mW, receptor - Frecventa RF 2.4 GHz, Sub carrier 5.5MHz 	720
<p>Ochelari fara emitator</p> 	<ul style="list-style-type: none"> - 1/4" COLOR CCD CAMERA portabila - Camera ascunsa in ochelari - Luminatie minima: 0.5Lux/F1.4 - 100cm cablu flexibil intre miniobiectiv si circuitul de captura ultrasubtire - Pixel: PAL-290K - Lentila de 3.7mm tip conica - Microfon 	520
<p>Camera video "cap de surub"</p> 	<ul style="list-style-type: none"> - 1/4" COLOR CCD CAMERA - Camera ascunsa in cap de surub - Pixel: 290K(PAL) - Peste 350 linii tv orizontale - Shutter:1/50-1/120000 - W/ 3.7mm/F2.0 obiectiv conic - alimentare: DC 9 ~ 12V - Dimensiuni: 26x22mm 	220
<p>Camera video "nasture"</p> 	<ul style="list-style-type: none"> - 1/4" COLOR CCD CAMERA - Camera ascunsa in nasture - Pixel: 290K(PAL) - Peste 350 linii tv orizontale - Shutter:1/50-1/120000 - W/ 3.7mm/F2.0 obiectiv conic - alimentare: DC 9 ~ 12V - Dimensiuni: 26x22mm 	220
<p>Camera video "cap de surub"</p> 	<ul style="list-style-type: none"> - 1/4" COLOR CCD CAMERA - Camera ascunsa in cap de surub - Pixel: 290K(PAL) - Peste 350 linii tv orizontale - Shutter:1/50-1/120000 - W/ 3.7mm/F2.0 obiectiv conic - alimentare: DC 9 ~ 12V - Dimensiuni: 26x22mm 	220
<p>Camera video "cap de surub"</p> 	<ul style="list-style-type: none"> - 1/4" COLOR CCD CAMERA - Camera ascunsa in cap de surub - Pixel: 290K(PAL) - Peste 350 linii tv orizontale - Shutter:1/50-1/120000 - W/ 3.7mm/F2.0 obiectiv conic - alimentare: DC 9 ~ 12V - Dimensiuni: 26x22mm 	220

<p>Camera video "cravata"</p> 	<ul style="list-style-type: none"> - 1/4" Color CCD Camera - PAL: 512(H)x582(V) - Peste 350 linii tv pe orizontala - 0.2LUX/F1.2 - Emitator TX BOX/ Receptor / adaptor, microfon - emisie in banda 2400 MHz - putere emitator 100mW 	720
<p>Camera video "sepcuta"</p> 	<ul style="list-style-type: none"> - 1/4" Color CCD Camera - PAL: 512(H)x582(V) - Peste 350 linii tv pe orizontala - 0.2LUX/F1.2 - Emitator TX BOX/ Receptor / adaptor, microfon - emisie in banda 2400 MHz - putere emitator 100mW 	720
<p>Camera video "borseta"</p> 	<ul style="list-style-type: none"> - 1/4" Color CCD Camera - PAL: 512(H)x582(V) - Peste 350 linii tv pe orizontala - 0.2LUX/F1.2 - Emitator TX BOX/ Receptor / adaptor, microfon - emisie in banda 2400 MHz - putere emitator 100mW 	695
<p>Camera video "tablou"</p> 	<ul style="list-style-type: none"> - 1/4" Color CCD Camera - PAL: 512(H)x582(V) - Peste 350 linii tv pe orizontala - 0.2LUX/F1.2 - Emitator TX BOX/ Receptor / adaptor, microfon - emisie in banda 2400 MHz - putere emitator 100mW 	720
Emitatoare RF, Receptoare RF, Antene cu cistig de semnal, Video Recordere Digitale		
<p>Monitor Cu receptor RF</p> 	<ul style="list-style-type: none"> - Monitor TFT LCD 5" cu receptor RF incorporate pe 2.4GHz, cu 4 canale - Greutate: 500g 	500
<p>Receptor RF 2,4 GHz</p> 	<p>RECEIVER audio / video RF</p> <ul style="list-style-type: none"> - Intrare DC 12V - Putere consumata 380mA - Video Out 1Vp-p Composite Video - Audio Out 2Vp-p Max - Sub Carrier 5.5 MHz - Fecventa 2413, 2432, 2451, 2470 MHz - Dimensiuni: 21 X 80 X125 mm - Greutate 165g 	95
<p>Emitator BOX 1</p> 	<p>TX BOX</p> <ul style="list-style-type: none"> - Frecventa RF 2.4 GHz - Intrare Audio & Video - Sub Carrier 5.5 MHz - Putere RF 100 mW - Acumulator Li- 3.7V/ 2000 mA - Parametri la iesire: DC 12V, 450 mA - Parametri la incarcare DC 5V, 850 mA 	255

Antena Hi-Gain 1 	Antena cu cistig de semnal pentru banda 2,4 GHz (HI-GAIN)	65
Sursa 500mA	Sursa: de la 3.7V la 12V (la iesire), DC 12V, 500mA	75
Digital Video Recorder (portabil) 	Portable Video Recorder (PVR) - MP-4 Video Recorder & Player - 3.5" LCD 480x234 Pixeli - 2.5" ATA/IDE Compatible 20G HDD - Multi-Media Support MPEG4, MP3, JPEG, G.726, - Digital Voice Recorder, MP3 Player, Digital Foto Viewer, Digital Photo Wallet Data Storage Center - MPEG4 Codec, Frame Rate 25~28fps for Encode&Decode - Video size 320x240 pixels - PC Link USB 2.0 high speed - Intrari: RCA 3-in-1 pentru AV in - Microfon incorporate, Telecomanda IR, Menu OSD - Iesiri: RCA 3-in-1 for AV out - Dimensiuni 30(w) x 84(h) x 33(t) mm - Greutate 350g - Accesorii: cablu AV x2, cablu USB x1, adaptor AC/DC x1, telecomanda x1, acumulator Li-Ion x1 7.4V 1800mAh	520

* Pentru mai multe detalii tehnice va rugam sa ne contactati

** Preturile in EURO sint negociabile in functie de cantitate

Asiguram consultanta in functie de aplicatiile in care doriti sa le folositi.

Persoana de contact:

Cris NEDELUCU

tel. 0744-289091

email : crisnedelcu@yahoo.com

<http://crisned.tripod.com/id6.html>